

# Base value in power system





## Overview

---

The main idea of a per unit system is to absorb large differences in absolute values into base relationships. Thus, representations of elements in the system with per unit values become more uniform. A per-unit system provides units for power, voltage, current, impedance, and admittance.

In the field of , a per-unit system is the expression of system quantities as fractions of a defined base unit quantity. Calculations are simplified because quantities expressed as.

There are several reasons for using a per-unit system: • Similar apparatus (generators, transformers, lines) will have similar per-unit impedances and.

As an example of how per-unit is used, consider a three-phase power transmission system that deals with powers of the order of 500 MW and uses a nominal voltage of 138 kV.

It can be shown that voltages, currents, and impedances in a per-unit system will have the same values whether they are referred to primary or.

Generally base values of power and voltage are chosen. The base power may be the rating of a single piece of apparatus such as a motor or.

The relationship between units in a per-unit system depends on whether the system is or .Single-phase Assuming that the independent base values are power and voltage, we have:



## Base value in power system

---



### Per Unit Example

Step 2: Assign Base Values The next step is to choose the base values for power and voltage. The base power will be the same in for each zone, but each zone will have a different base voltage. The problem might tell you to use specific values for base power

### Per-Unit Quantities and Systems in Power Systems

Per Unit Quantities & System In PSA calculation of impedances, currents, voltages, and powers are done in p.u values (scaled or normalized) rather than using the physical values of (Omega), A, KV, and KVA Per-unit value of any quantity can be defined as 
$$p.u = \frac{\text{Quantity in p.u}}{\text{base value of quantity}}$$



### ECE 3600 Notation and Per-Unit notes a Per-Unit values

Base Values At least two base values must be specified in order to find all the other base values. Apparent power (or just power) is one of the most common base values since it isn't changed ...

### Per Unit System

To obtain the new normalized per unit impedances, first we need to figure out the base values (Sbase, Vbase, Zbase) in the power system. Following steps will lead you through the



process. Step 1: Assume a system base Assume a system wide of 100MVA



### SOURCE IMPEDANCE CALCULATION IN POWER SYSTEMS

They are base voltage and base MVA. Base Voltage (kV B): Often the supply voltage is used as the base voltage. If the power company delivery voltage is 13.2kV, the base voltage will likely be 13.2kV unless otherwise noted. Voltages are always line-line or

### What is the Base-10 Number System?

If you've ever counted from 0 to 9, then you've used base-10 without even knowing what it is. Simply put, base-10 is the way we assign place value to numerals. It is sometimes called the decimal system because a digit's ...



 LFP 48V 100Ah

### Per-Unit Quantities In Power System Analysis

Power System Analysis Hermann W. Dommel March 2007 Actual Quantities The University of British Columbia the per-unit values with the "base voltage" of each node (230 /?3 kV for nodes 1, 2 and 500 /?3 kV for nodes 3, 4):<sup>o</sup> or pu





### CHAPTER 1 REPRESENTATION OF POWER SYSTEMS

power rating in MVA. Hence, in practice, the base values are chosen for complex power (MVA) and line voltage (KV). The chosen base MVA is the same for all the parts of the system. However, the base voltage is chosen with reference to a particular section of



### Base Changing Percent Impedance and Per Unit Impedance

For example: 150 amps expressed in the per unit system with a base value of 200 amps is a per unit current of 0.75:  $I_{pu} = I/I_b$   $I_{pu} = 150A/200A$   $I_{pu} = 0.75$  Similarly, it's not too much work to base change a per unit value to a new base by multiplying the old per



### ECE 3600 Notation and Per-Unit notes a Per-Unit values

Base Values At least two base values must be specified in order to find all the other base values. Apparent power (or just power) is one of the most common base values since it isn't changed by transformers-- it's the same across the entire system. If the power



### Attempt to Explain the Per-Unit Method of Power System Analysis

othe Per-Unit system allows you to choose two (2) of them for "base" or reference values oThe other two (2) "base" values are calculated using Ohm's and Watt's laws oFor power system analysis... S Base and V Base are always "chosen" o S Base = xx.x MVA, V





### Per-Unit Quantities In Power System Analysis

To obtain actual voltages from per-unit values, multiply the per-unit values with the "base voltage" of each node (230 kV for nodes 1, 2 and 500 kV for nodes 3, 4):



### What is a Per Unit System?

For the analysis of electrical machines or electrical machine system, different values are required, thus, per unit system provides the value for voltage, current, power, impedance, and admittance. The Per Unit System also makes the calculation easier ...

### 3.7: Introduction To Per-Unit Systems

First, it is necessary to establish a uniform base an per-unit value for each of the system components. Somewhat arbitrarily, we choose as the base segment the transmission line. ...



### **Per Unit System**

Introduction (contd...) Hence, All the Voltage, Power, Current and Impedance ratings of the components are expressed as a percentage or per unit of the base value Per unit value of any quantity is defined as the ratio of actual value to the chosen base value in



## Per Unit System Calculation Method in Power System

Base Values: In the PU system, you choose a set of base values for voltage ( $V_{base}$ ) and apparent power ( $S_{base}$ ). These values are typically selected to match the nominal values of a specific component, such as a generator or a transformer.




## Per-Unit System of Units

base value in p.u. = quantity expressed in SI units / base value. Generally the following two base values are chosen: The base power = nominal power of the equipment. The base voltage = ...

## ELEC0014

the same base power  $S_B$  is taken at all voltage levels. Usual value in transmission systems: 100 MVA the same base time  $t_B$  is taken everywhere (not used in steady state) at each voltage level, the base voltage is chosen in relation with the nominal voltage of



## Per Unit System - Practice Problem Solved For Easy Understanding

Let's understand the concept of per unit system by solving an example. In the one-line diagram below, the impedance of various components in a power system, typically derived from their nameplates, are presented. The task now is ...



### Per Unit

Base Values: The reference quantities, such as voltage, current, and power, used to define the per unit system and normalize measurements across a power system. Power Flow Analysis : A method used to determine the flow of electrical power in a network, typically using per unit values to simplify calculations.




### Per Unit System in Power System , Per Unit System in ...

For a power system, practical choice of base values are: or In a three-phase system rather than obtaining the per unit values using per phase base quantities, the per unit system in power system values can be obtained directly by using three-phase base B B

### Per Unit System Examples

For each system parameter, per-unit value is equal to the actual value divided by a base value:  $E_{pu} = E / E_{base}$ .  $I_{pu} = I / I_{base}$ .  $Z_{pu} = Z / Z_{base}$ . Select rated values as base values, usually ...



### Per-unit System

Formulas For each system parameter, per-unit value is equal to the actual value divided by a base value:  $E_{pu} = E / E_{base}$   $I_{pu} = I / I_{base}$   $Z_{pu} = Z / Z_{base}$  Select rated values as base values, usually rated power in MVA and rated phase voltage in kV:  $S_{base} = S_{rated} = \sqrt{3} E_{line} I_{...}$



### Per-Unit And Base Impedance Calculation

The following calculators compute various base and per unit quantities commonly used in the per unit system of analysis by power system engineers. Calculator-1 Known variables: Base Three Phase Power, Base Line-to-Line Voltage Base Impedance Per-Unit



### **Introduction to Per Unit System, Definitions, Applications & Units**

base  $KVLN = 120 / \sqrt{3} = 69\text{kv}$  in cae of real line to line volts of 108KV in balance THREE PHASE system line to neutral volts will be  $108 / \sqrt{3} = 62.3\text{x}$  so per unit volts will be  $108 / 120 = 62.3 / 69.2 = 0.90$  So in the three-phase system for per unit values, final expression will be

### **Steady-State Power System Security Analysis with PowerWorld Simulator**

o Per unit values are used in power systems to avoid worrying about various voltage level transitions created by  
o Define a "Power Base" (SBase ) for the entire system - Transmission system  $S_{Base} = 100\text{ MVA}$   
o The "Voltage Base" (VBase) for each part of



### **Per-Unit System of Units**

The per-unit system is widely used in the power system industry to express values of voltages, currents, powers, and impedances of various power equipment. It is typically used for transformers and AC machines. For a given quantity (voltage, current, power



### [Per-unit system for power system analysis](#)

For instance, if the base voltage and base power values for a certain power system are selected to be 100 V and 1,000 W, then a voltage of 120 V passing through the system would be 1.2 p.u. as per the following formula: If 20 A current is flowing the same we



## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://www.vdbconstruction.co.za>