


Un lithium battery label





Overview

Do I need a label for lithium ion batteries?

If you're shipping lithium ion batteries contained in or packed with equipment, use a battery label with UN3481. Lithium metal batteries will use labels with one of the following UN numbers: If you're shipping lithium metal batteries as a standalone (no other items in the package), use a battery label with UN3090.

Do lithium ion batteries need a UN number?

Lithium ion batteries will use labels with one of the following UN numbers: If you're shipping lithium ion batteries as a standalone, use a battery label with UN3480. Standalone means the package only contains batteries and nothing else. If you're shipping lithium ion batteries contained in or packed with equipment, use a battery label with UN3481.

Does a lithium battery Mark have a UN number?

Yes. The mark may bear all applicable UN numbers, e.g. UN 3091, UN 3481, to identify that the package contains lithium metal batteries packed with or contained in equipment and lithium ion batteries packed with, or contained in equipment. J. What are the requirements for the telephone number on the lithium battery mark?

.

What is a lithium battery label?

Labels are printed with the letters 'UN' and a 4-digit number. Think of it like a special code. These numbers clarify 2 types of crucial information: the lithium battery type and packaging method. Packaging method refers to how the lithium batteries are being shipped. This can be done in 3 ways:.

Do lithium batteries need UN specification packaging?



Most fully regulated packages of lithium batteries and cells require UN Specification packaging. All packages of small and medium lithium batteries require some degree of testing. However, small and medium lithium batteries and cells do not require UN Specification packaging.

Are lithium batteries rechargeable?

Lithium batteries fall into two broad classifications; lithium metal batteries and lithium ion batteries. Lithium metal batteries are generally non-rechargeable and contain metallic lithium. Lithium ion batteries contain lithium which is only present in an ionic form in the electrolyte and are rechargeable.



Un lithium battery label




[2020 LITHIUM BATTERY SHIPPING GUIDE](#)

2020 LITHIUM BATTERY SHIPPING GUIDE
JANUARY 14, 2020 The following guide provides a summary of marking, labeling and paperwork requirements for shipping lithium batteries via domestic US ground (49 CFR 171-180 in effect 1-Jan-2020), international air

[Your 2023 Guide to Lithium Battery Labels](#)

If you're shipping lithium metal batteries contained in or packed with equipment, use a battery label with UN3091. These slight variations in numbers may seem insignificant, ...



Transport of Lithium Metal and Lithium Ion Batteries

IATA Lithium Battery Guidance Document - 2024
OSS/Cargo Page 4 01/01/2024 to Table 9.3.A. In addition, packages containing UN 3090, lithium metal batteries prepared in accordance with Section IA or Section IB of PI968 or UN 3480, lithium ion batteries

UN 3481: Lithium ion batteries packed with equipment including lithium

Substance information for UN 3481 - Lithium ion batteries packed with equipment including lithium ion polymer batteries based on the Hazardous Materials Table (Title 49 CFR 172.101) to assist in preparing a risk assessment for



loading, transporting and storing




[2023 LITHIUM BATTERY SHIPPING GUIDE](#)

If battery is not installed, must ship as "UN 3091, Lithium Metal Batteries Packed with Equipment" or "UN 3481, Lithium Ion Batteries Packed with Equipment", as applicable. There is no battery size designation (small, medium or fully regulated) for these entries.



Lithium Batteries Labels

Lithium batteries have their own set of requirements, and this includes specific marks and labels. TDG, ICAO/IATA, and IMDG regulations. Hazard Class 9 - Lithium Battery Label, Non-Worded, High-Gloss Label, 500/roll Product Code: LB-CN37L Add to cart



[????????????????? ????967 UN3481](#)

Section I. Lithium ion - Greater than 20 Wh/cell,100 Wh/battery. More than 5 kg net weight of lithium batteries will require cargo aircraft only label. 11/10/2023.





UN3480 Lithium Battery Handling label (Standard size) Label

The UN3480 Lithium Battery Handling Mark is a distinctive label that indicates compliance with the UN's safety standards for shipping lithium batteries. This mark is a visual identifier that the package contains lithium batteries and provides essential information for handlers, carriers, and authorities to ensure proper precautions are taken.



A Comprehensive Guide to Lithium Battery Labels

If you've ever looked at a lithium battery label and felt a bit overwhelmed, you're not alone. Let's explore some common shipping labels: UN Number: This is a four-digit number that identifies hazardous substances. For lithium batteries, it's usually UN3480 (for

UN 3481 Lithium Battery Handling Labels , LabelValue

UN 3481 Lithium Battery Handling Labels to transport your lithium battery packages by air in accordance with IATA regulations. The UN 3481 label is used to identify the package as containing a lithium battery and to indicate that it ...



TAX FREE

ENERGY STORAGE SYSTEM

Product Model
HJ-ESS-215A(100KW/215KWh)
HJ-ESS-115A(50KW 115KWh)

Dimensions
1600*1280*2200mm
1600*1200*2000mm

Rated Battery Capacity
215KWH/115KWH

Battery Cooling Method
Air Cooled/Liquid Cooled



Lithium Battery Handling & Class 9 Shipping Labels

Lithium battery labels meet compliance with PHSMA & ICAO/IATA regulations. Stock and custom options to choose from. Fast & free shipping +\$39.95. Order now! With the use of lithium batteries becoming more frequent, the need ...



Lithium Battery Regulations and Standards in the US: An Overview

The HMR requires lithium batteries to adhere to UN 38.3 contained in the United Nations Manual of Tests and Criteria. UN 38.3 contains criteria, test methods, and procedures for the transportation of lithium batteries. Other requirements for lithium batteries



[UN3481, UN3091, UN3480, UN3090](#) ????

Lithium Battery Handling Label, ??????????
????????????????,??????????,???????????? UN3481,
UN3091, UN3480 ? UN3090 ??????



2022 LITHIUM BATTERY SHIPPING GUIDE

The following guide provides a summary of marking, labeling and paperwork requirements for shipping lithium batteries via domestic US ground (49 CFR 171-180 in effect 1-Jan-2022), ...



UN 3091: Lithium metal batteries packed with equipment including

Substance information for UN 3091 - Lithium metal batteries packed with equipment including lithium alloy batteries based on the Hazardous Materials Table (Title 49 CFR 172.101) to assist in preparing a risk assessment for loading, transporting and storing



111x126mm Lithium Battery Mark UN3481 Label, 500 ...

This Pre-Printed 111x126 Lithium Battery Mark Label meets all IATA (International Air Transport Association) standards, with 500 labels per roll, on a 76mm core. As a premium custom label product made in Australia, you can choose from a ...




[UN3171 LITHIUM BATTERY LABELS AND PLACARDS](#)

UN3171 is the UN ID for vehicles or equipment powered by lithium ion batteries or lithium metal batteries, where the lithium battery is installed in the vehicle or equipment. There is one entry in the DOT Hazardous Materials Table for UN3480. UN3480 - Hazard Class

UN3481 Lithium Battery Handling Label (Standard size)

The UN3481 Lithium Battery Handling Label applies to lithium-ion and lithium metal batteries that are either contained in or packed with equipment. This label falls under the UN Model Regulations, categorising lithium batteries because of their potential risks, including overheating, ignition, or even explosion if mishandled.



[LITHIUM BATTERY GUIDE FOR SHIPPERS](#)


4 o Lithium metal (LiM) o are generally non-rechargeable (primary, one-time use).o have a longer life than standard alkaline batterieso are commonly used in hearing aids, wristwatches, smoke detectors, cameras, key fobs, children's toys, etc.LITHIUM BATTERY



LITHIUM BATTERIES (UN3090, UN3091, UN3480, UN3481)

These instructions have been specifically prepared for the shipment of lithium batteries fully regulated as Class 9, UN3090, UN3091, UN3480, UN3481; effective January 1, 2023; ADR ...

PRODUCT INFORMATION



- BATTERY CAPACITY**
50kWh-500kWh
- DC VOLTAGE RANGE**
400V-1000V
- DEGREE OF PROTECTION**
IP54
- OPERATING TEMPERATURE RANGE**
-10-50°C




UN 3536 LITHIUM BATTERIES INSTALLED IN CARGO ...

The entry UN 3536 "LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT lithium ion batteries or lithium metal batteries" was included in the twentieth edition of the ...

[Lithium Battery Label Update 2022](#)

Lithium Battery Label: Under the latest, 60th edition of the IATA regulations, effective from 1st January 2019, the UN and national regulators decided to remove it in the 22nd edition of the UN Recommendations and so the lithium battery mark will no longer be



Efficient Higher Revenue

- Max. Efficiency 97.2%
- Max. PV Input Voltage 100V
- 100% Peak Output Power
- 2 MPPT Trackers, 150% DC Input Overvoltage
- Max. PV Input Current 15A, Compatible with High Power Modules

Intelligent Simple O&M

- IP66 Protection Degree support outdoor installation
- Smart IV Curve Diagnosis Function: locate PV string faults accurately and automatically detect faults
- DC & AC Surge SPD: prevent lightning damage
- Battery Reverse Connection Protection

Flexible Abundant Configuration

- Plug & Play, UPS Switching Under 10ms
- Compatible with Lead-acid and Lithium Batteries
- Max. 600Ah Inverter Parallel
- AFCC Function (Optional): when an arc fault is detected the inverter immediately stops operation

Interactive Guide to Shipping Lithium Batteries

Class 9 + CAO Label + Lithium Battery Mark No UN Spec. 1.2 m drop test 3 m stack test PI # needs "IB" on Dec. SOC



[FREE LITHIUM BATTERY GUIDE](#)

The 2024 HAZMATEAM Lithium Battery Shipping Guide summarizes lithium battery classification, package marks/labels, This air transportation exception allowed one package to contain up to 2 small lithium ion batteries (UN 3480) or 2 small lithium metal



Transport of Lithium Batteries in Accordance with the

o Application of a new lithium battery handling label for certain lithium batteries. o Enhanced packaging and revised quantity limits for lithium batteries as shown in Table 3-1 and in the new ...



Lithium Battery Labels, UN 3480 Label, UN 3481 Label in Stock

Uline stocks a wide selection of Lithium Battery Labels. Order by 6 p.m. for same day shipping. Huge Catalog! Over 42,000 products in stock. 13 Locations across USA, Canada and Mexico for fast delivery of Lithium Battery Labels.



Class 9A Lithium Battery Label With UN Number


Class 9A Lithium Battery Label with UN number - Code V029/LITH3090 DG Label Tests & Compliance When you purchase Class 9A Lithium Battery Label UN3090 dangerous goods hazard labels you should check and test that they comply with BS5609 specification and regulation standards.





Lithiumbatterien - Versandvorschriften erklärt

Große Lithiumbatterien (> 100 Wh pro Batterie)
UN 3090 Lithium-Metall-Batterien UN 3091
Lithium-Metall-Batterien IN / MIT Ausrüstung UN
3480 Lithium-Ionen-Batterien UN 3481 Lithium-
Ionen-Batterien IN / MIT Ausrüstung Großzettel
Seefrachtcontainer für



How to Ship Wet, Dry, and Lithium Batteries , FedEx

The Class 9 Lithium Battery label (IATA Figure 7.3.X) is required on all Section I, IA, and IB shipments. UN 3480, Lithium Ion Batteries Sections IA and IB have a state of charge (SoC) maximum of 30% without competent authority approval from both the state

Lithium Battery Labels 101: A Beginner's Guide

Lithium Batteries Labeling Requirements The size and material requirements for lithium battery shipping labels are dictated by international regulations, including IATA, IMO, and other regulatory bodies. Here's a breakdown of these requirements: 1. Label Size Size: Labels must be large enough to be clearly visible.



LITHIUM ION BATTERIES UN 3481 (RLI, ELI)

LITHIUM ION BATTERIES RLI (RU-03): Dangerous goods declaration Section I Package limit: PAX = 5 kg, ??? = 35 kg Section II Package limit: PAX = 5 kg, ??? = 5 kg ELI (RU-04): UN 3481 (RLI, ELI) Lithium ion batteries packed with equipment LABELLING



LITHIUM METAL BATTERIES

Lithium Battery Class 9 Hazard Label Lithium Battery Mark Cargo Aircraft Only Label NOTE: No text other than the Class "9" must be included in the bottom part of the Lithium Battery Class 9 label. IATA 7.2.2.4 * ** Shipper must add UN number(s). It should



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.vdbconstruction.co.za>